



Maschinelle Sprachverarbeitung

Retrieval Models and Implementation


Ulf Leser

Content of this Lecture


- Information Retrieval Models
 - Boolean Model
 - Vector Space Model
- Inverted Files

Information Retrieval Core

- The core question in IR:
Which of a **given set of (normalized) documents** is relevant for a given query?
- Ranking: **How relevant** for a given query is each document?



How can Relevance be Judged?



Notation

- Most of the models we discuss use the “Bag of Words”
- Definition
 - Let D be the set of all *normalized documents*, $d \in D$ is a document
 - Let K be the set of all *terms* in D , $k_i \in K$ is a term
 - Let w be the function that maps a given document d to its multiset of distinct terms in K (its bag-of-words)
 - The *bag of words* of d is a vector v_d of size $|K|$ with
 - $v_d[i]=0$ iff $k_i \notin w(d)$
 - $v_d[i]=1$ iff $k_i \in w(d)$
 - Often, we use *weights* instead of a Boolean membership
 - $v_d[i]=0$ iff $k_i \notin w(d)$
 - $v_d[i]=w_{ij}$ iff $k_i \in w(d)$

Boolean Model

- Simple model based on set theory
- Queries are specified as **Boolean expressions** over terms
 - Terms connected by AND, OR, NOT, (XOR, ...)
 - Parenthesis are possible (but ignored here)
- Relevance of a document is either 0 or 1
 - Let q contain the atoms (terms) $\langle k_1, k_2, \dots \rangle$
 - An **atom k_i evaluates to true for a document d iff $v_d[k_i]=1$**
 - Compute truth values of all atoms for each d
 - Compute truth of q for each d as the **logical expression** over atoms
- Example: "(kaufen AND rad) OR NOT wir"
 - "wir kaufen ein rad" – $\langle (T \text{ AND } T) \text{ OR NOT } T \rangle = T$
 - "sei kaufen ein auto" - $\langle (T \text{ AND } F) \text{ OR NOT } F \rangle = T$

Properties

- Simple, clear semantics, widely used in early systems
- Disadvantages
 - No partial matching
 - Suppose query $k_1 \wedge k_2 \wedge \dots \wedge k_9$
 - A doc d with $k_1 \wedge k_2 \dots k_8$ is as irrelevant as one with none of the terms
 - No ranking
 - Terms cannot be weighted
 - No synonyms, homonyms, semantically close words
 - Lay users don't understand Boolean expressions
- Results: Often unsatisfactory
 - Too many documents (too few restrictions, many OR)
 - Too few documents (too many restrictions, many AND)


Content of this Lecture

- Information Retrieval Models
 - Boolean Model
 - Vector Space Model
- Inverted Files

Vector Space Model

- Salton, G., Wong, A. and Yang, C. S. (1975). "A Vector Space Model for Automatic Indexing." *Communications of the ACM* **18**(11): 613-620.
 - A **breakthrough** in IR
- General idea
 - Fix vocabulary K (the dictionary)
 - View each doc (and the query) as **point in a $|K|$ -dimensional space**
 - Rank docs according to **distance from the query** in that space
- Main advantages
 - Inherent ranking (according to distance)
 - Naturally supports partial matching (increases distance)

Vector Space



- Each term is one dimension
 - Different suggestions for determining co-ordinates, i.e., term weights
- The **closest docs** are the most relevant ones
 - Rationale: Vectors correspond to **themes** which are loosely related to sets of terms
 - Set of terms interpreted as vector/point in $|K|$ -dim space
 - Distance between vectors \sim **distance between themes**
 - Different “distances”

The Angle between Two Vectors

- Recall: The **scalar product** between two vectors v and w of equal dimension is defined as

$$v \circ w = |v| * |w| * \cos(v, w)$$

- This gives us the angle

$$\cos(v, w) = \frac{v \circ w}{|v| * |w|}$$

– With

$$|v| = \sqrt{\sum v_i^2}$$

$$v \circ w = \sum_{i=1..n} v_i * w_i$$

Distance as Angle

Distance = cosine of the angle between doc d and query q

$$\text{sim}(d, q) = \cos(v_d, v_q) = \frac{v_d \circ v_q}{|v_d| * |v_q|} = \frac{\sum (v_q[i] * v_d[i])}{\sqrt{\sum v_d[i]^2} * \sqrt{\sum v_q[i]^2}}$$

Length normalization

Can be dropped for ranking

Example

- Assume stop word removal, stemming, Boolean weights

	Text	verkauf	haus	italien	gart	miet	blüh	woll
1	Wir verkaufen Häuser in Italien	1	1	1				
2	Häuser mit Gärten zu vermieten		1		1	1		
3	Häuser: In Italien, um Italien, um Italien herum		1	1				
4	Die italienischen Gärtner sind im Garten			1	1			
5	Der Garten in unserem italienischen Haus blüht		1	1	1		1	
Q	Wir wollen ein Haus mit Garten in Italien mieten		1	1	1	1		1

Ranking

1	1	1	1				
2		1		1	1		
3		1	1				
4			1	1			
5		1	1	1		1	
Q		1	1	1	1		1

$$sim(d, q) = \frac{\sum (v_q[i] * v_d[i])}{\sqrt{\sum v_d[i]^2}}$$

- $sim(d_1, q) = (1*0+1*1+1*1+0*1+0*1+0*0+0*1) / \sqrt{3} \quad \sim 1.15$
- $sim(d_2, q) = (1+1+1) / \sqrt{3} \quad \sim 1.73$
- $sim(d_3, q) = (1+1) / \sqrt{2} \quad \sim 1.41$
- $sim(d_4, q) = (1+1) / \sqrt{2} \quad \sim 1.41$
- $sim(d_5, q) = (1+1+1) / \sqrt{4} \quad \sim 1.5$

Rg	Q: Wir wollen ein Haus mit Garten in Italien mieten
1	d₂: Häuser mit Gärten zu vermieten
2	d ₅ : Der Garten in unserem italienischen Haus blüht
3	d ₄ : Die italienischen Gärtner sind im Garten
	d ₃ : Häuser : In Italien , um Italien , um Italien herum
5	d ₁ : Wir verkaufen Häuser in Italien

Term Weights

- Definition

Let D be a document collection, K be the set of all terms in D , $d \in D$ and $k \in K$

- *The **relative term frequency** tf_{dk} is the relative frequency of k in d*
- *The **document frequency** df_k is the frequency of docs in D containing k*
 - *May also be defined as the frequency of **occurrences of k in D***
- *The **inverse document frequency** is defined as $idf_k = |D| / df_k$*
 - *In practice, one usually uses $idf_k = \log(|D| / (1 + df_k))$*
- *The **tf*idf score** w_{dk} of a term k in document d is defined as*

$$w_{dk} = tf_{dk} * idf_k$$

Example TF*IDF

$$sim(d, q) = \frac{\sum (v_q[i] * v_d[i])}{\sqrt{\sum v_d[i]^2}}$$

IDF	5	5/4	5/4	5/3	5	5	DIV-0
1 (tf)	1/3	1/3	1/3				
2 (tf)		1/3		1/3	1/3		
3 (tf)		1/4	3/4				
4 (tf)			1/3	2/3			
5 (tf)		1/4	1/4	1/4		1/4	
Q		1	1	1	1		1

- $sim(d_1, q) = (5/4 * 1/3 + 5/4 * 1/3) / \sqrt{3.13} \sim 1.51$
- $sim(d_2, q) = (5/4 * 1/3 + 5/3 * 1/3 + 5 * 1/3) / \sqrt{3.26} \sim 4,80$
- $sim(d_3, q) = (5/4 * 1/4 + 5/4 * 3/4) / \sqrt{0.98} \sim 1,57$
- $sim(d_4, q) = (5/4 * 1/3 + 5/3 * 2/3) / \sqrt{1.41} \sim 2,08$
- $sim(d_5, q) = (5/4 * 1/4 + 5/4 * 1/4 + 5/3 * 1/4) / \sqrt{1.93} \sim 2,08$

wollen ein **Haus** mit **Garten** in **Italien** mieten

Häuser mit **Gärten** zu vermieten

Der **Garten** in unserem **italienischen Haus** blüht
Die **italienischen Gärtner** sind im **Garten**

Häuser: In **Italien**, um **Italien**, um **Italien** herum

Wir verkaufen **Häuser** in **Italien**

TF*IDF in Short

- Give terms in a doc d **high weights** which are ...
 - frequent in d and
 - infrequent in D
- IDF deals with the consequences of Zipf's law
 - The few very frequent (and unspecific) terms get lower scores
 - The many infrequent (**and specific**) terms get higher scores
- Interferes with stop word removal
 - If stop words are removed, IDF might not be necessary any more
 - If IDF is used, stop word removal might not be necessary any more

Shortcomings

- No treatment of **synonyms** (query expansion, ...)
- No treatment of **homonyms**
 - Different senses = different dimensions
 - We would need to disambiguate terms into their senses (later)
- No consideration of **term order**
 - But order carries semantic meaning
- Assumes that all terms are **independent**
 - Clearly wrong: some terms are **semantically closer** than others
 - Their co-appearance doesn't mean more than only one appearance
 - The appearance of "red" in a doc with "wine" doesn't mean much
 - Extension: Topic-based Vector Space Model
 - Latent Semantic Indexing (see IR lecture)

Content of this Lecture

- Information Retrieval Models
 - Boolean Model
 - Vector Space Model
- Inverted Files

Full-Text Indexing

- Fundamental operation for all IR models: **find(k, D)**
 - Given a query term k, find all docs from D containing it
- Can be implemented using online search
 - Search all occurrence of k in all docs from D
 - Algorithms: Boyer-Moore, Knuth-Morris-Pratt, etc.
- But
 - We generally assume that **D is stable** (compared to k)
 - We **only search for discrete terms** (after tokenization)
- Consequence: Better to pre-compute a **term index** over D
 - Also called “full-text index”

Inverted Files (or Inverted Index)


- Simple and effective **index structure** for terms
- Builds on the **Bag of words** approach
 - We give up the order of terms in docs (see positional index later)
- Start from “docs containing terms” (~ “docs”) and invert to “**terms appearing in docs**” (~ “inverted docs”)

```
d1: t1, t3
d2: t1
d3: t2, t3
d4: t1
d5: t1, t2, t3
d6: t1, t2
d7: t2
d8: t2
```



```
t1: d1, d2, d4, d5, d6
t2: d3, d5, d6, d7, d8
t3: d1, d3, d5
```


Building an Inverted File [Andreas Nürnberger, IR-2007]



Dictionary and Posting List


- Split up inverted file into **dictionary** and **posting list**
 - Dictionary is not very large – keep in memory
 - Each entry maintains a pointer to its posting list
 - Posting lists are on disk
 - One IO for finding posting list for a given term

Term	docIDs
a	2
aid	1
all	1
and	2
come	1
country	1,2
dark	2
...	...
time	1,2
to	1
was	2



Adding Term Weighting

- VSM with $TF \cdot IDF$ requires term frequencies
 - Dictionary stores IDF per term
 - Postings store lists of pairs (docID, tf)



Searching in VSM

- Assume we want to retrieve the **top-r docs**
- Algorithm
 - Initialize an empty doc-list S (as hash table or priority queue)
 - Iterate through query terms k_i
 - Walk through posting list of k_i (elements (docID, TF))
 - If $\text{docID} \in S$: $S[\text{docID}] = + \text{IDF}[k_i] * \text{TF}$
 - else: $S = S.\text{append}(\text{docID}, \text{IDF}[k_i] * \text{TF})$
 - Length-normalize values and compute cosine
 - Return top-r docs in S
- S contains all and only those docs containing **at least one k_i**

Space

- Size of dictionary: $O(|K|)$
 - Zipf's law: From a certain corpus size on, new terms appear only very infrequently
 - But there are always new terms, no matter how large D
 - Example: 1GB text (TREC-2) generates only 5MB dictionary
 - Typically: <1 Million
 - Many more in multi-lingual corpora, web corpora, etc.
- Size of posting list
 - Theoretic worst case: $O(|K|*|D|)$
 - Practical: A few hundred entries for each doc in D

Storing the Dictionary

- Dictionary as array (keyword, DF, ptr)
- Since keywords have different lengths: Implementation will be (ptr1, DF, ptr2)
 - ptr1: To string (the keyword)
 - ptr2: To posting list
- Search: Compute $\log(|K|)$ memory addresses, follow ptr1, compare strings: $O(\log(|K|)*|k|)$
- Construction: $O(|K|*\log(|K|))$
- Alternatives: [Hashing](#), Keyword Trees

Term	DF	
a	1	ptr
aid	1	ptr
all	1	ptr
and	1	ptr
come	1	ptr
country	2	ptr
dark	1	ptr
for	1	ptr
good	1	ptr
in	1	ptr
is	1	ptr
it	1	ptr
manor	1	ptr
men	1	ptr
midnight	1	ptr
night	1	ptr
now	1	ptr

Storing the Posting File

- Posting file is usually kept on disk
- Thus, we need an **IO-optimized data structure**
- Static
 - Store posting lists **one after the** other in large file
 - Posting-ptr is (large) offset in this file
- Prepare for inserts
 - Reserve additional space per posting
 - Good idea: Large initial posting lists get large extra space
 - Many inserts can be handled internally
 - Upon **overflow**, append entire posting list at the end of the file
 - Place **pointer at old position** – at most two access per posting list
 - Can lead to many holes – requires regular **reorganization**

Positional Information

- What if we **search for phrases**: “Bill Clinton”, “Ulf Leser”
 - ~10% of web searches are phrase queries
- What if we search by proximity “car AND rent/5”
 - “We rent cars”, “cars for rent”, “special care rent”, “if you want to rent a car, click here”, “Cars and motorcycles for rent”, ...
- We need **positional information**

Doc1:
Now is the time
for all good men
to come to the aid
of their country.

a dark and
stormy night in
the country
manor. The time
was past midnight.

	Doc #	TF	Pos
night	2	1	6
now	1	1	1
of	1	1	14
past	2	1	15
stormy	1	1	6
the	1,2	2	3,12
their	1	2	9,12
time	1	1	15
to	1,2	1	4
was	2	1	13
	1	2	9,11

Effects

- Dictionary is not affected
- Posting lists get **much larger**
 - Store <docID, TF, <pos>> instead of <docID,TF>
 - Index with positional information typically **30-50% larger** than the corpus itself
 - Especially **frequent words** (stop words) require excessive storage
- Use **compression** or remove stop words

Self Assessment

- Explain the vector space model
- How is the size of K (vocabulary) influenced by pre-processing?
- Describe some variations of deducing term weights
- How could we extend the VSM to also consider the order of terms (to a certain degree)?
- Explain idea and structure of inverted files?
- What are possible data structures for the dictionary?
Advantages / disadvantages?
- What decisions influence the size of posting lists?